

Data sheet

Commercial Art.No.: 78.914.0253.0

Modular insert FLE STP 2 4

Modular connector system male insert with two connections, with brass valve, Ø 4 mm



Commercial Art.No.	78.914.0253.0
EAN	4015573782679
Order Unit	5

Technical data

General

Model	Pin insert
Inflammability class of insulation material acc. with UL94	V0
Color	black
Modular version	yes
Operating temperature range min.	-40 °C
Operating temperature range max.	100 °C

Connection Data

Connection type	Pneumatic
Number of poles	2
Plus switching contacts	0
Number of pole for rated current 2	0
Number of pole for rated current 3	0
Total number of poles (without ground contact)	2
With wire protection	No
Protective contact	No

Model

With housing	No
--------------	----

Contacts

Contact material	Other
Surface	Other

Classification

ECLASS 11	
ECLASS 8.1	27440205
ETIM 7.0	EC000438
ETIM 6.0	EC000438
ETIM 5.0	EC000438
ETIM 4.0	EC000438
ETIM 3.0	EC000438

Product compliance

ROHS conformity status	Compliant
------------------------	-----------

REACH-SVHC conformity status	Compliant
------------------------------	-----------

Zeichnungsnummer
78.914.0253.010W
Moduleinsatz

Moduleinsatz
78.914.0253.0

15.11.2007
Hollet Florian
M 1:1

