1-1564407-1 ACTIVE

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1-1564407-1

16 Position Housing, Housing for Male Terminals, Wire-to-Wire, 4 mm / 6 mm [.157 in / .236 in] Centerline, Heavy Duty Sealed

Connector Series

View on TE.com >



Automotive Parts > Automotive Connectors > Automotive Housings > Heavy Duty Sealed Connector Series Housings











Connector & Housing Type: Housing for Male Terminals

Number of Positions: 16

Sealable: Yes

Operating Temperature Range: -40 - 140 °C [-40 - 284 °F]

Number of Rows: 2

All Heavy Duty Sealed Connector Series Housings (176)

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Primary Locking Feature	On the Terminal
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	16
Number of Rows	2
Electrical Characteristics	

60 VDC

Operating Voltage



Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Body Features	
Cable Exit Angle	180°, 90°
Primary Product Color	Black
Connector & Keying Code	A
Contact Features	
Contact Size	1.6mm, 2.8mm
Contact Type	Tab
Mating Tab Width	1.6 mm, 2.8 mm[.063 in][.11 in]
Contact Current Rating (Max)	40 A
Mechanical Attachment	
Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF30
Centerline (Pitch)	4 mm, 6 mm[.157 in][.236 in]
Dimensions	
Row-to-Row Spacing	6.9 mm[.272 in]
Product Width	48.1 mm[1.894 in]
Product Length	62.5 mm[2.461 in]
Connector Height	39.8 mm[1.567 in]
Usage Conditions	
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Operating Temperature (Max)	140 °C[284 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP67
UL Flammability Rating	UL 94V-0



Packaging Features

Packaging Quantity	150
Packaging Method	Box
Other	
Serviceable	Yes

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

Connector Position Assurance Capable

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 2112297-1
PROTECTION CAP,GROUP E,ASSY



TE Part # 964972-1
EINZELLEITERDICHTNG




















Also in the Series | Heavy Duty Sealed Connector Series







Customers Also Bought













TE Part #2112297-1 PROTECTION CAP,GROUP E,ASSY



TE Part #2333103-2 3POS,NANOMOS,REC HSG ASSY, UNSLD,COD B

TE Part #2137740-4 HV1100 1POS HEADER 90 DEG ASSY SLD



Documents

Product Drawings

16POS, MIXED, TAB HSG, ASSY, CODA

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1564407-1_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1564407-1_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1564407-1_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Heavy Duty Sealed Connector Series

English

HDSCS Catalog

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

16 Position Housing, Housing for Male Terminals, Wire-to-Wire, 4 mm / 6 mm [.157 in / .236 in] Centerline, Heavy Duty Sealed Connector Series



Product Specifications

Application Specification

English