


Category: 插拔式端子-插头/Plug-in terminal-plug

Product name: MC-RHH10.16HXXC-0001

Product Description: 10.16mm , 1000V , 76A CE , UL



### Product Picture



### 基本信息 /Basic Information

产品型号 SUPU ID	MC-RHH10.16HXXC-0001
产品间距 Pitch	10.16mm
产品层数 Number of levels	1
产品位数 Number of connections	2P-12P
接线方式 Connection method	螺钉接线Screw connection

防护等级 Protection Level	IP20
工作温度 Work temperature	-40~+105°C

## IEC数据 /IEC Data

额定电流 Rated Current	76A
额定电压 Rated Voltage	1000V
过压类别 Overvoltage category	III                      III                      II
污染等级 Pollution degree	3                              2                              2
额定冲击电压 Rated impulse voltage	8KV                          8KV                          6KV
额定电压 Rated Voltage	1000V                      1000V                      1000V
硬导线截面积 Conductor cross section solid	0.5-16mm <sup>2</sup>
柔性导线截面积 Conductor cross section flexible	0.5-16mm <sup>2</sup>
柔性导线截面积，带绝缘管套 Conductor cross section flexible,with furrule	0.5-16mm <sup>2</sup>
锁线螺钉规格 Locking screw Specification	M4
额定扭矩 Rated Torque	1.2N.m
固定螺钉规格 Fixed Screw Specification	-
额定扭矩 Rated Torque	-
剥线长度 Stripping length	12mm

## UL数据 /UL Data

使用组别 Use group	B                              C                              D
额定电流 Rated Current	55A                          55A                          -

额定电压 Rated Voltage	600V	600V	-
额定接线容量 Rated cross section	20-6AWG		

## 材料信息 /Material Data

绝缘材料 Insulation material	PA66
绝缘材料组别 Insulation material group	I
阻燃等级，符合UL94 Flame retardant grade, UL94 compliance	V0
导体材料 Contact material	Copper alloy
导体表面镀层 Surface characteristics	Sn,Plated

## 产品认证 /Product Certification

认证图标  
Certificate



UL证书号  
UL file No.

VDE证书号  
VDE No.

TUV证书号  
TUV No.

Ningbo Supu Electronics Co.,Ltd

Zip code: 315303

Fax: +86 574-63288170

E-mail : askme@supu.cn

Address: No. 625, Kandun Town Street, Cixi  
City, Zhejiang Province

Switchboard: +86 574-63288158

E-mail : askme@supu.cn

Service Hotline: 400-626-6336



Code

