



Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited.

未经允许禁止传输、复制、编辑该文档，以及利用其内容进行交流

REVISION RECORD			
REV	ECN	DESCRIPTION	DATE



HOW TO ORDER:

TUD2.5-2-XX-EB

Series No. Series No. Color: GY: Grey BU: Blue OG: Orange

- General information:  
 1. Dimension shall be interpreted per ASME Y14.5-2009  
 2. Operating temperature: -40°C~+105°C  
 3. RoHS Compliance  
 4. Undimensioned Tolerances:
- | Pitch Range in mm | Over | Nominal Dimension | In mm | Over | Over | Over | Over   |
|-------------------|------|-------------------|-------|------|------|------|--------|
| 6 TO 10           | 10   | 30 TO 60          | 60    | 100  | 150  | 150  | 0.1/10 |
| 10 TO 24          | 24   | 60 TO 100         | 100   | 150  | 150  | 150  | <      |
| 24 TO 60          | 60   | 100 TO 150        | 150   | 150  | 150  | 150  | ±2     |

Insulator PA66 UL94 V-0

订货号 Order No.	TUD2.5-2-XX-EB	名称 Name	TUD2.5系列双层螺钉式端子补偿端板	未注公差 Tolerance	表面 Surface
项目 Item	签字 Signature	图号 Drawing No.	PRM004484	版本号 Revision Number	VDI21
设计 Design	cjs	材料 Material	NOTES	重量 Weight	比例 Scale
审核 Check	df	物料号 Item No.	411048070	1 of 1	1:1
工艺 Process	-	物料号 Item No.	411048071		
标准化 Unity	-	物料号 Item No.	411048072		
批准 Approve	lw1	日期 Date	10/12/21		

原图号 Old Draw. No.	
借通用件登记 Common Part	
底图总号 Assembly No.	

1 2 3 4 5 6 7 8

SUPPU 宁波聚普电子有限公司  
NINGBO SUPPU ELECTRONICS CO.,LTD.