




REVISION RECORD				
REV	ECN	DESCRIPTION	DRAFT	DATE
△	DCN0006264	图纸更新	陈杰松	2020/1/11



Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited.

未经允许禁止传输、复制、编辑该文档，以及利用其内容进行交流

Material: Insulator PA66 UL94 V-0

General information:  
 1. Dimension shall be interpreted per ASME Y14.5-2009  
 2. Operating temperature: -40°C~+105°C  
 3. RoHS Compliance  
 4. Undimensioned Tolerances:

Pitch Range in mm	Nominal Dimension			Range		
	Over	TO	In mm	Over	Over	Over
6	10	10	30	50	100	150
10	10	24	30	60	100	150
150	±0.15	±0.20	±0.30	±0.50	±0.70	±1.00
						±2

HOW TO ORDER:  
 TPD2.5-2-XX-EA  
 Series No. | Color: GY: Grey, OG: Orange | Series No.

订货号 Order No.	TPD2.5-2-XX-EA	名称 Name	TP系列直插式 2.5mm <sup>2</sup> 双层 接线端子端板	未注公差 Tolerance	表面 Surface
项目 Item	签字 Signature	图号 Drawing No.	PRM001481	阶段标记 Progress	版本 Revision
设计 Design	c.js	日期 Date	01/11/20"	重量 Weight	比例 Scale
审核 Check	cw	材料 Material	Notes	第1项/共1项 1 of 1	VDI21
工艺 Process	-	物料号 Item No.	412211006		
标准化 Unity	-		/		
批准 Approve	1w1		412211007		

原图号  
Old Draw. No.

借通用件登记  
Common Part

底图总号  
Assembly No.

**SUPU 宁波波普电子有限公司**  
 NINGBO SUPU ELECTRONICS CO.,LTD.