


Category: 插拔式端子-插头/Plug-in terminal-plug

Product name: MC-RE7.5VXXC-0001

Product Description: 7.5mm , 630V , 18A CE , UL

## Product Picture

---



## 基本信息 /Basic Information

---

产品型号  
SUPU ID

MC-RE7.5VXXC-0001

产品间距  
Pitch

7.5mm

---

产品层数 Number of levels	1
产品位数 Number of connections	2P-24P
接线方式 Connection method	螺钉接线 Screw connection
防护等级 Protection Level	IP20
工作温度 Work temperature	-40~+105°C

## IEC数据 /IEC Data

额定电流 Rated Current	18A
额定电压 Rated Voltage	630V
过压类别 Overvoltage category	Ⅲ                      Ⅲ                      Ⅱ
污染等级 Pollution degree	3                          2                          2
额定冲击电压 Rated impulse voltage	6KV                      6KV                      6KV
额定电压 Rated Voltage	500V                      630V                      1000V
硬导线截面积 Conductor cross section solid	0.2-2.5mm <sup>2</sup>
柔性导线截面积 Conductor cross section flexible	0.2-2.5mm <sup>2</sup>
柔性导线截面积，带绝缘管套 Conductor cross section flexible,with furrule	0.2-2.5mm <sup>2</sup>
锁线螺钉规格 Locking screw Specification	M3
额定扭矩 Rated Torque	0.5N.m
固定螺钉规格 Fixed Screw Specification	-
额定扭矩 Rated Torque	-
剥线长度 Stripping length	7-8mm

## UL数据 /UL Data

---

使用组别 Use group	B	C	D
额定电流 Rated Current	15A	-	10A
额定电压 Rated Voltage	300V	-	300V
额定接线容量 Rated cross section	24-12AWG		

---

## 材料信息 /Material Data

---

绝缘材料 Insulation material	PA66
绝缘材料组别 Insulation material group	I
阻燃等级, 符合UL94 Flame retardant grade, UL94 compliance	V0
导体材料 Contact material	Copper alloy
导体表面镀层 Surface characteristics	Sn,Plated

---

## 产品认证 /Product Certification

---

认证图标 Certificate	
UL证书号 UL file No.	
VDE证书号 VDE No.	
TUV证书号 TUV No.	

---

Ningbo Supu Electronics Co.,Ltd

Zip code: 315303

Fax: +86 574-63288170

E-mail : askme@supu.cn

Address: No. 625, Kandun Town Street, Cixi  
City, Zhejiang Province

Switchboard: +86 574-63288158

E-mail : askme@supu.cn

Service Hotline: 400-626-6336



Code

---

File date : 2025-02-12 16:04

Product Entry : 2023-09-20

The right to modify data belongs to  
Supu.