




Dept	
Qty	
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QE	1

The information provided herein is from CONNELY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNELY or its affiliates. Unauthorized use of this information, in any form or by any means, without the prior written permission of CONNELY, is strictly prohibited. CONNELY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	JLZ 06/09/15'	HZW 06/09/15'	LJC 06/09/15'
B	DRAWING UPDATE	JLZ 08/18/18'		



Applicable Card Size
Thickness:0.76±0.08

Pin no.	Description
P1#	C1:VCC
P2#	C5:GND
P3#	C2:RST
P4#	C6:VPP
P5#	C3:CLK
P6#	C7:I/O
P7#	CD SW LOWER
P8#	CD SW UPPER

Notes:

- Material:
 - Housing: High Temperature UL 94V-0.
 - Contacts: Copper Alloy. Selective Gold Flash.
 - Shell:Stainless Steel.
- Specifications:
 - Operate Temperature: -40° C~+85° C
 - Insulation Resistance: 1000MΩ Min.
 - Contact Resistance: 50mΩ max.
 - Withstanding Voltage: 500V AC 1min.
 - Voltage Rating: 30V AC/DC
 - Current Rating: 0.5A
- Product Number Code:

DS1138-10 - XX X X X X X X

- Packing Type
R: Tape On Reel
B: Tube
- Post Support
X: W/O Post
- Housing color
B: Black
- Contact Plating
0: Selective gold flash
- Mounting type
S: SMT type
- Connector type
S: Socket
- No. of contacts
08:8pin



(Series Image-Reference Only)

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION	TITLE
X.	±0.60	X.	±5°	mm	1.27mm SIM Card H=2.25mm
.X	±0.38	.X	±3°		6+2 Positions SMT Type W/O Post
.XX	±0.25	.XX	±2°	SHEET SIZE	A4
DRAWING TYPE		CUSTOMER		SERIES	DS1138-10 SERIES
SCALE		1:1		SHEET 1 OF 1	
DRAWING NO.		C-DS1138-10-XXXXXX-B		晨翔电子有限公司 CONNFLY CONNELY ELECTRONIC CO., LTD	